



United Nations Population Fund  
7<sup>th</sup> floor Menara Thamrin  
Jl. MH Thamrin Kav.3, Jakarta 10250  
E-mail: [indn.bids@unfpa.org](mailto:indn.bids@unfpa.org)  
Website: [indonesia.unfpa.org](http://indonesia.unfpa.org)

Date: 13 September 2023

## REQUEST FOR QUOTATION RFQ N<sup>o</sup> UNFPA/IDN/RFQ/23/008

Dear Sir/Madam,

UNFPA hereby solicits a quotation for the following items:

Item N <sup>o</sup>	Product Name	Product Description	Unit of Measure	Quantity
1	Tent	RH Sub Cluster Tent	Set	4
2	Tent	GBV Sub Cluster Tent	Set	1
3	Tent	High Risk Pregnancy Women Tent	Set	3

### I. About UNFPA

UNFPA, the United Nations Population Fund (UNFPA), is an international development agency that works to deliver a world where every pregnancy is wanted, every childbirth is safe and every young person's potential is fulfilled.

UNFPA is the lead UN agency that expands the possibilities for women and young people to lead healthy sexual and reproductive lives. To read more about UNFPA, please go to: [UNFPA about us](#)

#### Objective:

The objective of the RFQ is to identify a supplier who can provide UNFPA with all the above mentioned products. The selected vendor is expected to provide such products, based on specific Purchase Orders submitted to the vendor.

#### Detailed Technical Specifications

The detailed technical specifications are available in Annex II.

### II. Questions

Questions or requests for further clarifications should be submitted in writing to the contact person below:

Name of contact person at UNFPA:	<i>Mr. Cahyo Setiabudi</i>	
Email address of contact person:	<i>indn.bids@unfpa.org</i>	

Questions will be answered in writing and shared with all parties as soon as possible after this deadline.



### III. Eligible Bidders

This Request for Quotation is open to all eligible bidders; to be considered an eligible bidder for this solicitation process you must comply with the following:

- A bidder must be a legally-constituted company that can provide the requested products and have legal capacity to enter into a contract with UNFPA to deliver in the country, or through an authorized representative.
- A bidder must not have a conflict of interest regarding the solicitation process or with the TORs / Technical Specifications. Bidders found to have a conflict of interest shall be disqualified.
- At the time of Bid submission, the bidder, including any JV/Consortium members, is not under procurement prohibitions derived from the [Compendium of United Nations Security Council Sanctions Lists](#) and has not been suspended, debarred, sanctioned or otherwise identified as ineligible by any [UN Organization](#) or the [World Bank Group](#).
- Bidders must adhere to the UN Supplier Code of Conduct, which may be found by clicking on [UN Supplier Code of Conduct](#).

### IV. Content of quotations

Quotations should be submitted in a single email whenever possible, depending on file size. Quotations must contain:

- a) Technical proposal form, in response to / comply with the requirements outlined in the specifications (Annex II):
  - The bidder shall be required to quote for all items;
  - It is to be submitted strictly in accordance to the format provided, duly completed.
- b) Signed Declaration Form, to be submitted strictly in accordance with the document.
- c) Price quotation, to be submitted strictly in accordance with the price quotation form (as per format provided, duly completed and signed).
- d) Company profile.
- e) Company registration certificate (copy of “TDP / Tanda Daftar Perusahaan” with valid period).
- f) List and value of similar products provided for the last three (3) years plus client’s contact details who may be contacted for further information on those contracts.

All parts of the quotation must be signed by the company’s relevant authority and submitted in PDF format.

### V. Instructions for submission

Proposals should be prepared based on the guidelines set forth in Section IV above, along with a properly filled out and signed price quotation form, and are to be sent by email to the contact person indicated below no later than: **Wednesday, September 27<sup>th</sup> 2022 at 23:59 Jakarta Time<sup>1</sup>.**

Name of contact person at UNFPA:	<i>Mr. Cahyo Setiabudi</i>
Email address of contact person:	<i>indn.bids@unfpa.org</i>

Please note the following guidelines for electronic submissions:

- The following reference must be included in the email subject line: **RFQ N<sup>o</sup> UNFPA/IDN/RFQ/23/008 - Procurement of Tents**. Proposals that do not contain the correct email subject line may be overlooked by the procurement officer and therefore not considered.
- The total email size may not exceed **20 MB (including email body, encoded attachments and headers)**. Where the technical details are in large electronic files, it is recommended that these be sent separately before the deadline.
- Any quotation submitted will be regarded as an offer by the bidder and does not constitute or imply acceptance of the quotation by UNFPA. UNFPA is under no obligation to award a contract to any bidder as a result of this RFQ.

<sup>1</sup> <http://www.timeanddate.com/worldclock/city.html?n=69>



## VI. Overview of Evaluation Process

Quotations will be evaluated based on the compliance with the technical specifications (Annex II) and the total cost of the goods (as per price quote).

The evaluation will be carried out in a two-step process by an ad-hoc evaluation panel. The technical proposal form containing specification details quoted, will be evaluated for technical compliance prior to the comparison of price quotes:

1. All requirements documents set forth in Section IV checked and reviewed.
2. Bidder(s) who pass the above number (1), will be processed for evaluation on their technical proposal form, including obtaining information whether the bidder has personnel with technical knowledge:
  - Yes: meet the requirements outlined in the Annex II
  - No: does not meet the requirements outlined in the Annex II
3. Bidder(s) who pass the above number (2) will be processed for price comparison.
4. The lowest bidder resulted from the above number (3) will be required to submit physical samples of the materials of tents quoted:
  - Samples of tent component materials: in small size (tent material, tent ceiling material, insulation material, tent frame iron, tent base, webbing tape)
  - Within 5 calendar days to UNFPA. The exact address for the sample submission will be communicated to the bidder by email
5. Evaluation on the technical specification details of sample submitted - above number (4) to determine:
  - Yes: meet the requirements outlined in the Annex II
  - No: does not meet the requirements outlined in the Annex II
6. If answer to the above number (5) is yes, recommended for contract award
7. If answer to the above number (5) is no / the sample analyzed does not meet the requirements, then the offer is disqualified and to repeat process stated on number (4) from the next lowest compliant offer.

## VII. Award

In case of a satisfactory result from the evaluation process, UNFPA shall award a Purchase Order to the lowest priced bidder whose bid has been determined to be substantially compliant with the bidding documents.

## VIII. Right to Vary Requirements at Time of Award

UNFPA reserves the right at the time of award of Contract to increase or decrease, by up to 20%, the volume of goods specified in this RFQ without any change in unit prices or other terms and conditions.

## IX. Payment Terms

UNFPA payment terms are net 30 days upon receipt of shipping documents, invoice and other documentation required by the contract.

## X. Fraud and Corruption

UNFPA is committed to preventing, identifying, and addressing all acts of fraud against UNFPA, as well as against third parties involved in UNFPA activities. UNFPA's Policy regarding fraud and corruption is available here: [Fraud Policy](#). Submission of a proposal implies that the Bidder is aware of this policy.

Suppliers, their subsidiaries, agents, intermediaries and principals must cooperate with the UNFPA Office of Audit and Investigations Services as well as with any other oversight entity authorized by the Executive Director and with the UNFPA Ethics Advisor as and when required. Such cooperation shall include, but not be limited to, the following:



United Nations Population Fund  
7<sup>th</sup> floor Menara Thamrin  
Jl. MH Thamrin Kav.3, Jakarta 10250  
E-mail: [indn.bids@unfpa.org](mailto:indn.bids@unfpa.org)  
Website: [indonesia.unfpa.org](http://indonesia.unfpa.org)

access to all employees, representatives agents and assignees of the vendor; as well as production of all documents requested, including financial records. Failure to fully cooperate with investigations will be considered sufficient grounds to allow UNFPA to repudiate and terminate the Agreement, and to debar and remove the supplier from UNFPA's list of registered suppliers.

A confidential Anti-Fraud Hotline is available to any Bidder to report suspicious fraudulent activities at [UNFPA Investigation Hotline](#).

**XI. Zero Tolerance**

UNFPA has adopted a zero-tolerance policy on gifts and hospitality. Suppliers are therefore requested not to send gifts or offer hospitality to UNFPA personnel. Further details on this policy are available here: [Zero Tolerance Policy](#).

**XII. RFQ Protest**

Bidder(s) perceiving that they have been unjustly or unfairly treated in connection with a solicitation, evaluation, or award of a contract may submit a complaint to the UNFPA Representative, Ms. Anjali Sen at [indonesia.office@unfpa.org](mailto:indonesia.office@unfpa.org). Should the supplier be unsatisfied with the reply provided by the UNFPA Representative, the supplier may contact the Chief, Supply Chain Management Unit at [supplychain@unfpa.org](mailto:supplychain@unfpa.org).

**XIII. Disclaimer**

Should any of the links in this RFQ document be unavailable or inaccessible for any reason, bidders can contact the Procurement Officer in charge of the procurement to request for them to share a PDF version of such document(s).



### TECHNICAL PROPOSAL FORM

<b>Name of Bidder:</b>	[insert name of company]
<b>Date of the quotation:</b>	[insert quotation date]
<b>Request for quotation N°:</b>	UNFPA/IDN/RFQ/23/008

- The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Item 1	RH Sub Cluster Tent
Specifications	[insert description of technical specification of quoted goods stated in the price quotation form]

Item 2	GBV Sub Cluster Tent
Specifications	[insert description of technical specification of quoted goods stated in the price quotation form]

Item 3	High Risk Pregnancy Women Tent
Specifications	[insert description of technical specification of quoted goods stated in the price quotation form]



## PRICE QUOTATION FORM

<b>Name of Bidder:</b>	[insert name of company / institution]
<b>Date of the quotation:</b>	[insert quotation date]
<b>Request for quotation N°:</b>	UNFPA/IDN/RFQ/23/008
<b>Currency of quotation:</b>	IDR
<b>Validity of quotation:</b> <i>(The quotation shall be valid for a period of at least 3 months after the submission deadline)</i>	

- Quoted rates must be **exclusive of all taxes**, since UNFPA is exempt from taxes.
- In case of discrepancy between unit price and total price, the lower price shall prevail and the higher price shall be corrected. If the Bidder does not accept the correction of errors, its Proposal will be rejected.

**TABLE 1: Price:**

Item N°	Product Name & Description	UOM	Unit Price	Number of Units	Total Price
1	RH Sub Cluster Tent	Set	[insert unit price]	4	[insert total price]
2	GBV Sub Cluster Tent	Set	[insert unit price]	1	[insert total price]
3	High Risk Pregnancy Women Tent	Set	[insert unit price]	3	[insert total price]
<b>GRAND TOTAL</b>					[insert total price]
<b>Delivery schedule (in calendar days)*</b> <b>Delivery address:</b> <b>UNFPA warehouse</b> <b>Green Sedayu Bizpark</b> <b>Blok DM3 no 16o, Jl. Raya Daan Mogot KM 18,</b> <b>Kalideres, Jakarta</b>					[insert delivery schedule]

\*delivery lead time calculated from date of Purchase Order issued, until goods arrive at UNFPA warehouse



**TABLE 2: Offer to Comply with Other Conditions and Related Requirements**

Other Information pertaining to our Quotation are as follows:	Your Responses		
	<i>Yes, we will comply</i>	<i>No, we cannot comply</i>	<i>If you cannot comply, pls. indicate counter proposal</i>
Validity of Quotation is at least 3 months after the submission deadline	[insert answer]	[insert answer]	[insert answer]
After the closing date (RFQ submission deadline), if required, the bidder(s) will be contacted to provide clarification(s) related to the submission, including allowing UNFPA to visit bidder's office and warehouse	[insert answer]	[insert answer]	[insert answer]
Comply to meet all Provisions of the UNFPA General Terms and Conditions	[insert answer]	[insert answer]	[insert answer]

*Vendor's Comments:*  
 [insert comments if any]

I hereby certify that the company mentioned above, which I am duly authorized to sign for, has reviewed RFQ UNFPA/IDN/RFQ/23/008 including all annexes, amendments to the RFQ document (if applicable) and the responses provided by UNFPA on clarification questions from the prospective service providers. Further, the company accepts the General Conditions of Contract for UNFPA and we will abide by this quotation until it expires.

[insert name, title, signature and company's seal/stamp]	[insert date and place]
Name and title	Date and place



## DECLARATION FORM

The undersigned, being a duly authorized representative of the Company represents and declares that:

		YES	NO
1.	The Company and its Management <sup>2</sup> have not been found guilty pursuant to a final judgement or a final administrative decision of any of the following:		
	a. Fraud;	<input type="checkbox"/>	<input type="checkbox"/>
	b. Corruption;	<input type="checkbox"/>	<input type="checkbox"/>
	c. conduct related to a criminal organization;	<input type="checkbox"/>	<input type="checkbox"/>
	d. money laundering or terrorist financing;	<input type="checkbox"/>	<input type="checkbox"/>
	e. terrorist offences or offences linked to terrorist activities;	<input type="checkbox"/>	<input type="checkbox"/>
	f. sexual exploitation and abuse;	<input type="checkbox"/>	<input type="checkbox"/>
	g. child labour, forced labour, human trafficking; or	<input type="checkbox"/>	<input type="checkbox"/>
	h. irregularity (non-compliance with any legal or regulatory requirement applicable to the Organization or its Management).	<input type="checkbox"/>	<input type="checkbox"/>
2.	The Company and its Management have not been found guilty pursuant to a final judgment or a final administrative decision of grave professional misconduct.	<input type="checkbox"/>	<input type="checkbox"/>

<sup>2</sup> "Management" means any person having powers of representation, decision-making or control over the Organization. This may include, for example, executive management and all other persons holding downstream managerial authority, anyone on the board of directors, and controlling shareholders.





3.	The Company and its Management are not: bankrupt, subject to insolvency or winding-up procedures, subject to the administration of assets by a liquidator or a court, in an arrangement with creditors, subject to a legal suspension of business activities, or in any analogous situation arising from a similar procedure provided for under applicable national law.	<input type="checkbox"/>	<input type="checkbox"/>
4.	The Company and its Management have not been the subject of a final judgment or a final administrative decision finding them in breach of their obligations relating to the payment of taxes or social security contributions.	<input type="checkbox"/>	<input type="checkbox"/>
5.	The Company and its Management have not been the subject of a final judgment or a final administrative decision which found they created an entity in a different jurisdiction with the intent to circumvent fiscal, social or any other legal obligations in the jurisdiction of its registered office, central administration, or principal place of business ( <i>creating a shell company</i> ).	<input type="checkbox"/>	<input type="checkbox"/>
6.	The Company and its Management have not been the subject of a final judgment or a final administrative decision which found the Company was created with the intent referred to in point (5) ( <i>being a shell company</i> ).	<input type="checkbox"/>	<input type="checkbox"/>

The UNFPA reserves the right to disqualify the Company, suspend or terminate any contract or other arrangement between the UNFPA and the Company, with immediate effect and without liability, in the event of any misrepresentation made by the Company in this Declaration.

It is the responsibility of the Company to immediately inform the UNFPA of any changes in the situations declared above.

This Declaration is in addition to, and does not replace or cancel, or operate as a waiver of, any terms of contractual arrangements between the UNFPA and the Company.

Signature:

Date:

Name and Title:

Name of the Company:

---



---



---



---



United Nations Population Fund  
7<sup>th</sup> floor Menara Thamrin  
Jl. MH Thamrin Kav.3, Jakarta 10250  
E-mail: *idn.bids@unfpa.org*  
Website: indonesia.unfpa.org

UNGM N°:

Postal Address:

Email:

---

---

---

---



United Nations Population Fund  
7<sup>th</sup> floor Menara Thamrin  
Jl. MH Thamrin Kav.3, Jakarta 10250  
E-mail: [ind.bids@unfpa.org](mailto:ind.bids@unfpa.org)  
Website: [indonesia.unfpa.org](http://indonesia.unfpa.org)

**ANNEX I:**

**General Conditions of Contracts:  
De Minimis Contracts**

This Request for Quotation is subject to UNFPA's General Conditions of Contract: De Minimis Contracts, which are available in: [English](#), [Spanish](#) and [French](#)



## ANNEX II: Technical Specification

### Background information

The United Nations Population Fund (UNFPA) Asia Pacific Regional Office (APRO) has been implementing the Regional Prepositioning Initiative (RPI), which aims to assist the most disaster-prone countries in Asia Pacific to become better prepared and more resilient to emergencies when it comes to meeting the sexual and reproductive health (SRH) needs of women and girls and gender-based violence (GBV) services.

As part of Regional Programme from 2021-2024, managed by the Asia Pacific Regional Office:

1. SRH and GBV supplies are procured and stored in warehouses (for Bangladesh, Indonesia, Myanmar, Pacific Islands, Philippines, Papua New Guinea, Sri Lanka and Regional level for Brisbane warehouse);
2. Advocacy for national government prepositioning of SRH and GBV humanitarian supplies, production and dissemination of communication materials in relation to the Regional Prepositioned Initiatives;
3. Project Management and Coordination.

### Technical Specifications

**REPRODUCTIVE HEALTH SUB CLUSTER TENT (RH TENT) and GBV SUB CLUSTER TENT:**  
same specification as below, difference only on logo printing (on the tent)

<b>Size: 6 m x 12 m</b>	
<b>Bahan tenda</b>	: Filament polyester 100%
Bagian Luar	: Warna Putih
Bagian dalam	: Warna Abu-Abu/Biru Dongker
Tehnik Coating	: Triple Coating, Lapisan Coating Harus Berfungsi anti air dan anti jamur
Bahan Chemical Coating	
Mempunyai Sertifikat	: Sistem Manajemen Mutu ISO 9001-2008/OEKOTEX
Jenis Benang Polyester	: 100% 450 D
Bahan baku benang	: Baru/Grade A (bukan daur ulang)
Finishing Benang	: Dengan Standart Militer/SNI memakai sistem twist (pilin)
	: Ringan tetapi kuat
<b>PLAFON TENDA</b>	
Bahan Plafon	: Satin Polyester , Plafon Full Tenda
Print logo <b>MOH-UNFPA (4 Tents) dan KPPPA-UNFPA (1 tent)</b> diatas pintu masuk sisi depan dan belakang.	
<b>KERANGKA</b>	
Bahan Dasar	: Pipa Besi hitam atau sejenisnya
Ketahanan terhadap pukulan dan beban	: Tidak mudah retak/pecah
Bentuk Pipa	: Pipa tidak bertulang
Konstruksi	
a. Tiang Utama	: Pipa
- Diameter,mm	: 45



- Tebal,mm	: 1.2
- Panjang pipa(tiang utama),mm	: 1800
- Jumlah,btg	: 14
<b>b. Pipa Landasan</b>	
- Diameter luar, mm	: 45
- Tebal, mm	: 1.2
- Panjang pipa, mm	: 1800
- Jumlah, btg	: 12
<b>c. Pipa Penghubung Tiang Utama</b>	
- Diameter luar, mm	: 40
- Tebal, mm	: 1.2
- Panjang pipa, mm	: 1800
- Jumlah, btg	: 12
<b>d. Pipa Lengkung Kerangka Atap</b>	
- Diameter luar, mm	: 40
- Tebal, mm	: 1.2
- Panjang pipa, mm	: 2800
- Jumlah, btg	: 21
<b>e. Pipa Penghubung Atap</b>	
- Diameter luar, mm	: 40
- Tebal, mm	: 1.2
- Panjang pipa, mm	: 1900
- Jumlah, btg	: 42
<b>f. Konektor Model L (Landasan Pinggir)</b>	
- Diameter luar, mm	: 45
- Tebal, mm	: 1.2
- Panjang pipa seluruh, mm	: 400
- Panjang pipa luar, mm	: 100 X 2
- Panjang pipa masuk, mm	: 100 X 2
- Jumlah, sok	: 4
<b>g. Konektor Model T</b>	
- Diameter luar, mm	: 45
- Tebal, mm	: 1.2
- Panjang pipa seluruh, mm	: 600
- Panjang pipa luar, mm	: 100 X 3
- Panjang pipa masuk, mm	: 100 X 3
- Jumlah, sok	: 6
<b>h. Konektor Model Y Kerangka Atap Pinggir ( Kaki Tiga )</b>	
- Diameter luar, mm	: 40
- Tebal, mm	: 1.2
- Panjang pipa seluruh, mm	: 900
- Panjang pipa luar, mm	: 100 X 4
- Panjang pipa masuk, mm	: 100 X 3
- Jumlah, sok	: 4



<b>i. Kerangka atap tengah (Kaki Empat)</b>	
- Diameter luar, mm	: 40
- Tebal, mm	: 1.2
- Panjang pipa seluruh, mm	: 900
- Panjang pipa luar, mm	: 100 X 4
- Panjang pipa masuk, mm	: 100 X 3
- Jumlah, sok	: 10
<b>PATOK-PATOK</b>	
Model pancing	
Bahan dasar	: Besi Betoneser
Bentuk dasar	: Bulat
Konstruksi	
a. Diameter, mm	: 8
b. Panjang, mm	: 300
c. Bagian tekukan sampai ujung pancing, mm	: 50
d. Bagian yang lurus	: 250
<b>Model U</b>	
Bahan dasar	: Besi Betoneser
Konstruksi	: Bulat
a. Diameter, mm	: 12
b. Panjang, mm	: 500
c. Bagian tekukan sampai ujung pancing, mm	: 10
d. Bagian yang lurus	: 400
<b>LETTER D</b>	
Bahan dasar	: Besi
Penyempurnaan	: Pernekel
Konstruksi	
- Diameter luar, mm	: 20
<b>RETSLETING</b>	
Bahan Dasar	: Polyester 100%
- Panjang, mm	: 220 x 4
- Lebar, mm	: 30
- Nomor	: 30
<b>KEPALA RETSLETING</b>	
Bahan Dasar	: Besi
- Warna	: Hitam
- Finishing Logam	: Pernekel
- Nomor	: 10
<b>PITA WEBBING PENGUAT TIANG UTAMA</b>	
Pita penguat kontruksi	
a. Bahan dasar	: Polyester 100%
b. Lebar, mm	: min 150
c. Warna	: Hitam



<b>SEKAT TENDA</b>	
Bahan	: PVC Asian Power 550gsm
Ukuran Sekat	: 300cm x 200cm
Jarak Sekat	: Disetiap 200cm
<b>PITA WEBBING PENGUAT TIANG ATAP</b>	
Bahan dasar	: Polyester 100 %
Lebar, mm	: min 100
Warna	: Hitam
<b>BENANG JAHIT</b>	
Benang Jahit No. 24	
- Bahan dasar	: Nylon 100%
- Nomor benang	: 24
- Warna	: Hitam
<b>TEHNIK JAHIT</b>	
Memakai Chemical anti rembesan air	: Menutup bekas jahitan dengan cairan silicon yang senyawa dengan kain
Penjahitan dengan Teknik rapi dan kuat (Standard SNI/Militer)	: Menggunakan Mesin Jahit Khusus untuk jahitan tebal.
Kerapatan, Jarak dan Kekuatan Jahitan	: Kode Barang 11244-3021
Jahitan sesuai Standart Militer	: Bab I Cara pembuatan NO.17 tentang Pengerjaan Huruf C tentang ketentuan Jahitan: <ol style="list-style-type: none"> <li>1. Kerapatan Jahitan adalah 4 tusukan atau 3 lengkungan tiap cm.</li> <li>2. Jahitan harus lurus, tegangan antara benang jahit atas dan benang jahit bawah seimbang dan tidak boleh terdapat loncatan maupun penumpukan</li> </ol>
<b>TEHNIK PENGELASAN</b>	
Standar Kualitas	: Pegelasan pipa secara keliling penuh.
Ketahanan dan Kekuatan Penyambungan	: Pakan Las memakai campuran logam khusus sehingga Meresap kedalam dan lebih kuat, serta tidak mudah patah atau lepas
<b>TEHNIK PENGECATAN</b>	
Standart Kualitas	: Anti karat dengan pencucian memakai chemical khusus
Ketahanan dan Kualitas Cat	: Tidak mudah mengelupas karena menggunakan Thinner A Special
Tehnologi Pengecatan	: Menggunakan Spraygun dan Kompresor sehigga cat lebih melekat ke pipa
<b>ALAS TENDA</b>	
Menggunakan bahan	: Terpal plastik ukuran 6 m x 12 m
<b>PACKING</b>	
	: - terdiri dari ada 2 (dua) bh Kotak/peti pecking kemasan untuk daun tenda dan rangka tenda - Bahan kuat dan tidak mudah lapuk



United Nations Population Fund  
7<sup>th</sup> floor Menara Thamrin  
Jl. MH Thamrin Kav.3, Jakarta 10250  
E-mail: [indn.bids@unfpa.org](mailto:indn.bids@unfpa.org)  
Website: [indonesia.unfpa.org](http://indonesia.unfpa.org)

	- Terdapat Strap Adjuster untuk pengencangan - Terdiri dari 4-7 bagian untuk 1 set tenda dan berindikasi dengan warna untuk sambungan dan nomor set kemasan
Panjang, cm	: <u>+ 213</u>
Lebar, cm	: <u>+ 50</u>
Tinggi, cm	: <u>+ 60</u>
<b>BUKU (MANUAL) DAN VIDEO PETUNJUK PEMASANGAN:</b>	
Petunjuk bongkar pasang tenda dan cara	: Ada
Petunjuk penyimpanan dan pemeliharaan	: Ada
(Video contoh pemasangan tenda lebih disukai)	





**HIGH RISK PREGNANCY WOMEN TENT**

<b>Size: 6 m x 12 m</b>	
<b>Bahan Tenda</b>	: Filament polyester 100%
Bagian Luar	: Warna Putih
Bagian dalam	: Warna Abu-Abu/Biru Dongker
Tehnik Coating	: Triple Coating, Lapisan Coating Harus Berfungsi anti air dan anti jamur
<b>Bahan Chemical Coating</b>	
Mempunyai Sertifikat	: Sistem Manajemen Mutu ISO 9001-2008/OEKOTEX
Jenis Benang Polyester	: 100% 450 D
Bahan baku benang	: Baru/Grade A (bukan daur ulang)
Finishing Benang	: Dengan Standart Militer/SNI memakai sistem twist (pilin)
	Ringan tetapi kuat
<b>PLAFON TENDA</b>	
Bahan Plafon	: Satin Polyester, Plafon Full Tenda
<b>Print logo MOH-UNFPA (3 Tents) diatas pintu masuk sisi depan dan belakang.</b>	
<b>KERANGKA</b>	
Bahan Dasar	: Pipa Besi hitam atau semisalnya
Ketahanan terhadap pukulan dan beban	: Tidak mudah retak/pecah
Bentuk Pipa	: Pipa tidak bertulang
<b>Konstruksi</b>	
a. Tiang Utama	: Pipa
- Diameter,mm	: 45
- Tebal,mm	: 1.2
- Panjang pipa(tiang utama),mm	: 1800
- Jumlah,btg	: 14
b. Pipa Landasan	
- Diameter luar, mm	: 45
- Tebal, mm	: 1.2
- Panjang pipa, mm	: 1800
- Jumlah, btg	: 12
c. Pipa Penghubung Tiang Utama	
- Diameter luar, mm	: 40
- Tebal, mm	: 1.2
- Panjang pipa, mm	: 1800
- Jumlah, btg	: 12



d. Pipa Lengkung Kerangka Atap	
- Diameter luar, mm	: 40
- Tebal, mm	: 1.2
- Panjang pipa, mm	: 2800
- Jumlah, btg	: 21
e. Pipa Penghubung Atap	
- Diameter luar, mm	: 40
- Tebal, mm	: 1.2
- Panjang pipa, mm	: 1900
- Jumlah, btg	: 42
f. Konektor Model L (Landasan Pinggir)	
- Diameter luar, mm	: 45
- Tebal, mm	: 1.2
- Panjang pipa seluruh, mm	: 400
- Panjang pipa luar, mm	: 100 X 2
- Panjang pipa masuk, mm	: 100 X 2
- Jumlah, sok	: 4
g. Konektor Model T	
- Diameter luar, mm	: 45
- Tebal, mm	: 1.2
- Panjang pipa seluruh, mm	: 600
- Panjang pipa luar, mm	: 100 X 3
- Panjang pipa masuk, mm	: 100 X 3
- Jumlah, sok	: 6
h. Konektor Model Y Kerangka Atap Pinggir ( Kaki Tiga )	
- Diameter luar, mm	: 40
- Tebal, mm	: 1.2
- Panjang pipa seluruh, mm	: 900
- Panjang pipa luar, mm	: 100 X 4
- Panjang pipa masuk, mm	: 100 X 3
- Jumlah, sok	: 4
i. Kerangka atap tengah (Kaki Empat)	
- Diameter luar, mm	: 40
- Tebal, mm	: 1.2
- Panjang pipa seluruh, mm	: 900
- Panjang pipa luar, mm	: 100 X 4



- Panjang pipa masuk, mm	: 100 X 3
- Jumlah, sok	: 10
<b>PATOK-PATOK</b>	
Model pancing	
Bahan dasar	: Besi Betoneser
Bentuk dasar	: Bulat
Konstruksi	
a. Diameter, mm	: 8
b. Panjang, mm	: 300
c. Bagian tekukan sampai ujung pancing, mm	: 50
d. Bagian yang lurus	: 250
Model U	
Bahan dasar	: Besi Betoneser
Konstruksi	: Bulat
a. Diameter, mm	: 12
b. Panjang, mm	: 500
c. Bagian tekukan sampai ujung pancing, mm	: 10
d. Bagian yang lurus	: 400
<b>LETTER D</b>	
Bahan dasar	: Besi
Penyempurnaan	: Pernekel
Konstruksi	
- Diameter luar, mm	: 20
<b>RETSLETING</b>	
Bahan Dasar	: Polyester 100%
- Panjang, mm	: 220 x 4
- Lebar, mm	: 30
- Nomor	: 30
<b>KEPALA RETSLETING</b>	
Bahan Dasar	: Besi
- Warna	: Hitam
- Finishing Logam	: Pernekel
- Nomor	: 10
<b>PITA WEBBING PENGUAT TIANG UTAMA</b>	
Pita penguat kontruksi	
a. Bahan dasar	: Polyester 100%
b. Lebar, mm	: min 150
c. Warna	: Hitam



<b>SEKAT TENDA</b>	
Bahan	: parachute polyester waterproof coating spray
Ukuran Sekat dinding	: 250cm x 200cm
Ukuran pintu sekat	: 200cm x 200cm
Jarak Sekat	: Disetiap 200cm
Dilengkapi resleting untuk membuka dan menutup pintu sekat.	
<b>PITA WEBBING PENGUAT TIANG ATAP</b>	
Pita penguat kontruksi	
Bahan dasar	: Polyester 100 %
Lebar, mm	: min 100
Warna	: Hitam
<b>BENANG JAHIT</b>	
Benang Jahit No. 24	
- Bahan dasar	: Nylon 100%
- Nomor benang	: 24
- Warna	: Hitam
<b>TEHNIS JAHIT</b>	
Memakai Chemical anti rembesan air	: Menutup bekas jahitan dengan cairan silicon yang senyawa dengan kain
Penjahitan dengan Teknik rapi dan kuat (Standard SNI/Militer)	: Menggunakan Mesin Jahit Khusus untuk jahitan tebal.
Kerapatan, Jarak dan Kekuatan Jahitan	: Kode Barang 11244-3021
Jahitan sesuai Standart Militer	: Bab I Cara pembuatan NO.17 tentang Pengerjaan Huruf C tentang ketentuan Jahitan: 3. Kerapatan Jahitan adalah 4 tusukan atau 3 lengkungan tiap cm. 4. Jahitan harus lurus, tegangan antara benang jahit atas dan benang jahit bawah seimbang dan tidak boleh terdapat loncatan maupun penumpukan
<b>TEHNIS PENGELASAN</b>	
Standar Kualitas	: Pegelasan pipa secara keliling penuh.
Ketahanan dan Kekuatan Penyambungan	: Pakan Las memakai campuran logam khusus sehingga meresap kedalam dan lebih kuat, serta tidak mudah patah atau lepas
<b>TEHNIS PENGECATAN</b>	
Standart Kualitas	: Anti karat dengan pencucian memakai chemical khusus
Ketahanan dan Kualitas Cat	: Tidak mudah mengelupas karena menggunakan Thinner A Special
Tehnologi Pengecatan	: Menggunakan Spraygun dan Kompresor sehigga cat lebih melekat ke pipa
<b>ALAS TENDA</b>	
Menggunakan bahan	: Terpal plastik ukuran 6 m x 12 m
<b>PACKING</b>	
	: - terdiri dari ada 2 (dua) bh Kotak/peti pecking kemasan untuk daun tenda dan rangka tenda

	<ul style="list-style-type: none"> <li>- Bahan kuat dan tidak mudah lapuk</li> <li>- Terdapat Strap Adjuster untuk pengencangan</li> <li>- Terdiri dari 4-7 bagian untuk 1 set tenda dan berindikasi dengan warna untuk sambungan dan nomor set kemasan</li> </ul>
Panjang, cm	: ± 213
Lebar, cm	: ± 50
Tinggi, cm	: ± 60
<b>BUKU (MANUAL) DAN VIDEO PETUNJUK PEMASANGAN:</b>	
Petunjuk bongkar pasang tenda dan Cara Petunjuk penyimpanan dan pemeliharaan	
(Video contoh pemasangan tenda lebih disukai)	

