



United Nations Population Fund
7th floor Menara
Thamrin Jl. MH Thamrin Kav.3,
Jakarta 10250 E-mail:
indn.bids@unfpa.org Website:
indonesia.unfpa.org

Date: 13 August 2024

REQUEST FOR QUOTATION RFQ N° UNFPA/IDN/RFQ/24/007

Dear Sir/Madam,

UNFPA hereby solicits a quotation for the following items:

Item N°	LOT *	Product Name	Product Description	Unit of Measure	Quantity
1	Lot 1	Tent	GBV Sub Cluster Tent	Set	2
		Tent	High Risk Pregnancy Women Tent	Set	5
2	Lot 2	Tent	Midwifery tent	Set	4

**Bidders can choose Lot 1 and Lot 2 or just one of them*

I. About UNFPA

UNFPA, the United Nations Population Fund (UNFPA), is an international development agency that works to deliver a world where every pregnancy is wanted, every childbirth is safe and every young person's potential is fulfilled.

UNFPA is the lead UN agency that expands the possibilities for women and young people to lead healthy sexual and reproductive lives. To read more about UNFPA, please go to: [UNFPA about us](#)

Objective:

The objective of the RFQ is to identify a supplier who can provide UNFPA with all the above mentioned products. The selected vendor is expected to provide such products, based on specific Purchase Orders submitted to the vendor.

II. Service Requirements

The detailed technical specifications are available in Annex II.

III. Questions

Questions or requests for further clarifications should be submitted in writing to the contact person below:

Name of contact person at UNFPA:	<i>Mr. Cahyo Heri Setiabudi</i>
Email address of contact person:	<i>indn.bids@unfpa.org</i>

The deadline for submission of questions is **Tuesday, August 20th 2024 at 17:00 Jakarta Time¹**. Questions will be answered in writing and shared with all parties as soon as possible after this deadline.

¹ <http://www.timeanddate.com/worldclock/city.html?n=69>



United Nations Population Fund
7th floor Menara
Thamrin Jl. MH Thamrin Kav.3,
Jakarta 10250 E-mail:
indn.bids@unfpa.org Website:
indonesia.unfpa.org

IV. Eligible Bidders

This Request for Quotation is open to all eligible bidders; to be considered an eligible bidder for this solicitation process you must comply with the following:

- A bidder must be a legally-constituted company that can provide the requested products and have legal capacity to enter into a contract with UNFPA to deliver in the country, or through an authorized representative.
- A bidder must not have a conflict of interest regarding the solicitation process or with the TORs / Technical Specifications. Bidders found to have a conflict of interest shall be disqualified.
- At the time of Bid submission, the bidder, including any JV/Consortium members, is not under procurement prohibitions derived from the [Compendium of United Nations Security Council Sanctions Lists](#) and has not been suspended, debarred, sanctioned or otherwise identified as ineligible by any [UN Organization](#) or the [World Bank Group](#).
- Bidders must adhere to the UN Supplier Code of Conduct, which may be found by clicking on [UN Supplier Code of Conduct](#).
- UNFPA supports Gender Equality and Social Inclusion - Bidder may provide evidence that demonstrates commitment to value diversity, promote equality and sensitivity toward women and social inclusion of other marginal groups, for example internal company policy documents on women empowerment, people with disabilities or membership of institutions/associations promoting such issues.

V. Content of quotations

Quotations should be submitted in a single email whenever possible, depending on file size. Quotations must contain:

- a) Technical proposal form, in response to / comply with the requirements outlined in the specifications (Annex II):
 - o The bidder shall be required to quote for all items;
 - o It is to be submitted strictly in accordance to the format provided, duly completed.
- b) Signed Declaration Form, to be submitted strictly in accordance with the document.
- c) Price quotation, to be submitted strictly in accordance with the price quotation form (as per format provided, duly completed and signed).
- d) Company profile.
- e) Company registration certificate (copy of "TDP / Tanda Daftar Perusahaan" with valid period).
- f) List and value of similar products provided for the last three (3) years plus client's contact details who may be contacted for further information on those contracts.

All parts of the quotation must be signed by the company's relevant authority and submitted in PDF format.

VI. Instructions for submission

Proposals should be prepared based on the guidelines set forth in Section V above, along with a properly filled out and signed price quotation form, and are to be sent by email to the contact person indicated below no later than: **Tuesday, Augst 27th 2024 at 23:59 Jakarta Time².**

Name of contact person at UNFPA:	<i>Mr. Cahyo Heri Setiabudi</i>
Email address of contact person:	<i>indn.bids@unfpa.org</i>

² <http://www.timeanddate.com/worldclock/city.html?n=69>



Please note the following guidelines for electronic submissions:

- The following reference must be included in the email subject line: **RFQ N^o UNFPA/IDN/RFQ/24/007 - Procurement of Tents**. Proposals that do not contain the correct email subject line may be overlooked by the procurement officer and therefore not considered.
- The total email size may not exceed **20 MB (including email body, encoded attachments and headers)**. Where the technical details are in large electronic files, it is recommended that these be sent separately before the deadline.
- Any quotation submitted will be regarded as an offer by the bidder and does not constitute or imply acceptance of the quotation by UNFPA. UNFPA is under no obligation to award a contract to any bidder as a result of this RFQ.

VII. Overview of Evaluation Process

Quotations will be evaluated based on the compliance with the technical specifications (Annex II) and the total cost of the goods (as per price quote).

The evaluation will be carried out in a two-step process by an ad-hoc evaluation panel. The technical proposal form containing specification details quoted, will be evaluated for technical compliance prior to the comparison of price quotes:

1. All requirements documents set forth in Section IV checked and reviewed.
2. Bidder(s) who pass the above number (1), will be processed for evaluation on their technical proposal form, including obtaining information whether the bidder has personnel with technical knowledge:
 - Yes: meet the requirements outlined in the Annex II
 - No: does not meet the requirements outlined in the Annex II
3. Bidder(s) who pass the above number (2) will be processed for price comparison.
4. The lowest bidder resulted from the above number (3) will be required to submit physical samples of the materials of tents quoted:
 - Samples of tent component materials: in small size (tent material, tent ceiling material, insulation material, tent frame iron, tent base, webbing tape)
 - Within 5 calendar days to UNFPA. The exact address for the sample submission will be communicated to the bidder by email
5. Evaluation on the technical specification details of sample submitted - above number (4) to determine:
 - Yes: meet the requirements outlined in the Annex II
 - No: does not meet the requirements outlined in the Annex II
6. If answer to the above number (5) is yes, recommended for contract award
7. If answer to the above number (5) is no / the sample analyzed does not meet the requirements, then the offer is disqualified and to repeat the process stated on number (4) from the next lowest compliant offer.

VIII. Award

In case of a satisfactory result from the evaluation process, UNFPA shall award a Purchase Order to the lowest priced bidder whose bid has been determined to be substantially compliant with the bidding documents.

IX. Right to Vary Requirements at Time of Award

UNFPA reserves the right at the time of award of Contract to increase or decrease, by up to 20%, the volume of goods specified in this RFQ without any change in unit prices or other terms and conditions.



United Nations Population Fund
7th floor Menara
Thamrin Jl. MH Thamrin Kav.3,
Jakarta 10250 E-mail:
indn.bids@unfpa.org Website:
indonesia.unfpa.org

X. Payment Terms

UNFPA payment terms are net 30 days upon receipt of shipping documents, invoice and other documentation required by the contract.

XI. Fraud and Corruption

UNFPA is committed to preventing, identifying, and addressing all acts of fraud against UNFPA, as well as against third parties involved in UNFPA activities. UNFPA's Policy regarding fraud and corruption is available here: [Fraud Policy](#). Submission of a proposal implies that the Bidder is aware of this policy.

Suppliers, their subsidiaries, agents, intermediaries and principals must cooperate with the UNFPA Office of Audit and Investigations Services as well as with any other oversight entity authorized by the Executive Director and with the UNFPA Ethics Advisor as and when required. Such cooperation shall include, but not be limited to, the following: access to all employees, representatives agents and assignees of the vendor; as well as production of all documents requested, including financial records. Failure to fully cooperate with investigations will be considered sufficient grounds to allow UNFPA to repudiate and terminate the Agreement, and to debar and remove the supplier from UNFPA's list of registered suppliers.

A confidential Anti-Fraud Hotline is available to any Bidder to report suspicious fraudulent activities at [UNFPA Investigation Hotline](#).

XII. Zero Tolerance

UNFPA has adopted a zero-tolerance policy on gifts and hospitality. Suppliers are therefore requested not to send gifts or offer hospitality to UNFPA personnel. Further details on this policy are available here: [Zero Tolerance Policy](#).

XIII. RFQ Protest

Bidder(s) perceiving that they have been unjustly or unfairly treated in connection with a solicitation, evaluation, or award of a contract may submit a complaint to the UNFPA Representative, Mr. Hassan Mohtashami at indonesia.office@unfpa.org. Should the supplier be unsatisfied with the reply provided by the UNFPA Representative, the supplier may contact the Chief, Supply Chain Management Unit at supplychain@unfpa.org.

XIV. Disclaimer

Should any of the links in this RFQ document be unavailable or inaccessible for any reason, bidders can contact the Procurement Officer in charge of the procurement to request for them to share a PDF version of such document(s).



TECHNICAL PROPOSAL FORM

Name of Bidder:	[insert name of company]
Date of the quotation:	[insert quotation date]
Request for quotation N°:	UNFPA/IDN/RFQ/24/007

- The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

LOT 1 :

Item 1	GBV Sub Cluster Tent
Specifications	___Comply ___ Not Comply with RFQ specification [insert description of detail technical specification of quoted goods stated in the price quotation form]

Item 2	High Risk Pregnancy Women Tent
Specifications	___Comply ___ Not Comply with RFQ specification [insert description of detail technical specification of quoted goods stated in the price quotation form]

LOT 2 :

Item 1	Midwifery Tent
Specifications	___Comply ___ Not Comply with RFQ specification [insert description of detail technical specification of quoted goods stated in the price quotation form]



PRICE QUOTATION FORM

Name of Bidder:	[insert name of company / institution]
Date of the quotation: Request for quotation N°:	[insert quotation date] UNFPA/IDN/RFQ/24/007
Currency of quotation:	IDR
Validity of quotation: <i>(The quotation shall be valid for a period of at least 3 months after the submission deadline)</i>	

- Quoted rates must be **exclusive of all taxes**, since UNFPA is exempt from taxes.
- In case of discrepancy between unit price and total price, the lower price shall prevail and the higher price shall be corrected. If the Bidder does not accept the correction of errors, its Proposal will be rejected.

TABLE 1: Price:

Item N°	Product Name & Description	UOM	Unit Price	Number of Units	Total Price
Lot 1					
1	GBV Sub Cluster Tent	Set	[insert unit price]	2	[insert total price]
2	High Risk Pregnancy Women Tent	Set	[insert unit price]	5	[insert total price]
Lot 2					
1	Midwifery Tent	Set	[insert unit price]	4	[insert total price]
GRAND TOTAL					[insert total price]
Delivery schedule (in calendar days)* Delivery address: UNFPA warehouse, Green Sedayu Bizpark, Blok DM3 no 16o, Jl. Raya Daan Mogot KM 18, Kalideres, Jakarta					[insert how many days after PO received]

*delivery lead time calculated from date of Purchase Order issued, until goods arrive at UNFPA warehouse

**Bidders can choose Lot 1 and Lot 2 or just one of them



TABLE 2: Offer to Comply with Other Conditions and Related Requirements

Other Information pertaining to our Quotation are as follows:	Your Responses		
	<i>Yes, we will comply</i>	<i>No, we cannot comply</i>	<i>If you cannot comply, pls. indicate counter proposal</i>
Validity of Quotation is at least 3 months after the submission deadline	[insert answer]	[insert answer]	[insert answer]
After the closing date (RFQ submission deadline), if required, the bidder(s) will be contacted to provide clarification(s) related to the submission, including allowing UNFPA to visit bidder's office and warehouse	[insert answer]	[insert answer]	[insert answer]
Comply to meet all Provisions of the UNFPA General Terms and Conditions	[insert answer]	[insert answer]	[insert answer]

Vendor's Comments:
 [insert comments if any]

I hereby certify that the company mentioned above, which I am duly authorized to sign for, has reviewed RFQ UNFPA/IDN/RFQ/24/007 including all annexes, amendments to the RFQ document (if applicable) and the responses provided by UNFPA on clarification questions from the prospective service providers. Further, the company accepts the General Conditions of Contract for UNFPA and we will abide by this quotation until it expires.

[insert name, title, signature and company's seal/stamp]	[insert date and place]
Name and title	Date and place



DECLARATION FORM

The undersigned, being a duly authorized representative of the Company represents and declares that:

1.	The Company and its Management ³ have not been found guilty pursuant to a final judgement or a final administrative decision of any of the following:	YES	NO
	a. Fraud;	<input type="checkbox"/>	<input type="checkbox"/>
	b. Corruption;	<input type="checkbox"/>	<input type="checkbox"/>
	c. conduct related to a criminal organization;	<input type="checkbox"/>	<input type="checkbox"/>
	d. money laundering or terrorist financing;	<input type="checkbox"/>	<input type="checkbox"/>
	e. terrorist offences or offences linked to terrorist activities;	<input type="checkbox"/>	<input type="checkbox"/>
	f. sexual exploitation and abuse;	<input type="checkbox"/>	<input type="checkbox"/>
	g. child labour, forced labour, human trafficking; or	<input type="checkbox"/>	<input type="checkbox"/>
	h. irregularity (non-compliance with any legal or regulatory requirement applicable to the Organization or its Management).	<input type="checkbox"/>	<input type="checkbox"/>
2.	The Company and its Management have not been found guilty pursuant to a final judgment or a final administrative decision of grave professional misconduct.	<input type="checkbox"/>	<input type="checkbox"/>

³ "Management" means any person having powers of representation, decision-making or control over the Organization. This may include, for example, executive management and all other persons holding downstream managerial authority, anyone on the board of directors, and controlling shareholders.



3.	The Company and its Management are not: bankrupt, subject to insolvency or winding-up procedures, subject to the administration of assets by a liquidator or a court, in an arrangement with creditors, subject to a legal suspension of business activities, or in any analogous situation arising from a similar procedure provided for under applicable national law.	<input type="checkbox"/>	<input type="checkbox"/>
4.	The Company and its Management have not been the subject of a final judgment or a final administrative decision finding them in breach of their obligations relating to the payment of taxes or social security contributions.	<input type="checkbox"/>	<input type="checkbox"/>
5.	The Company and its Management have not been the subject of a final judgment or a final administrative decision which found they created an entity in a different jurisdiction with the intent to circumvent fiscal, social or any other legal obligations in the jurisdiction of its registered office, central administration, or principal place of business (<i>creating a shell company</i>).	<input type="checkbox"/>	<input type="checkbox"/>
6.	The Company and its Management have not been the subject of a final judgment or a final administrative decision which found the Company was created with the intent referred to in point (5) (<i>being a shell company</i>).	<input type="checkbox"/>	<input type="checkbox"/>

The UNFPA reserves the right to disqualify the Company, suspend or terminate any contract or other arrangement between the UNFPA and the Company, with immediate effect and without liability, in the event of any misrepresentation made by the Company in this Declaration.

It is the responsibility of the Company to immediately inform the UNFPA of any changes in the situations declared above.

This Declaration is in addition to, and does not replace or cancel, or operate as a waiver of, any terms of contractual arrangements between the UNFPA and the Company.

Signature:

Date:

Name and Title:

Name of the Company:



United Nations Population Fund
7th floor Menara
Thamrin Jl. MH Thamrin Kav.3,
Jakarta 10250 E-mail:
idn.bids@unfpa.org Website:
indonesia.unfpa.org

UNGM N°:

Postal Address:

Email:



United Nations Population Fund
7th floor Menara
Thamrin Jl. MH Thamrin Kav.3,
Jakarta 10250 E-mail:
indn.bids@unfpa.org Website:
indonesia.unfpa.org

ANNEX I:

General Conditions of Contracts: De Minimis Contracts

This Request for Quotation is subject to UNFPA's General Conditions of Contract: De Minimis Contracts, which are available in: [English](#), [Spanish](#) and [French](#)



ANNEX II: Technical Specification

Background information

The United Nations Population Fund (UNFPA) Asia Pacific Regional Office (APRO) has been implementing the Regional Prepositioning Initiative (RPI), which aims to assist the most disaster-prone countries in Asia Pacific to become better prepared and more resilient to emergencies when it comes to meeting the sexual and reproductive health (SRH) needs of women and girls and gender-based violence (GBV) services.

As part of Regional Programme from 2021-2024, managed by the Asia Pacific Regional Office:

1. SRH and GBV supplies are procured and stored in warehouses (for Bangladesh, Indonesia, Myanmar, Pacific Islands, Philippines, Papua New Guinea, Sri Lanka and Regional level for Brisbane warehouse);
2. Advocacy for national government prepositioning of SRH and GBV humanitarian supplies, production and dissemination of communication materials in relation to the Regional Prepositioned Initiatives;
3. Project Management and Coordination.

The RFQ is for procurement of and to be stored for the UNFPA Indonesia country office.

LOT 1

MINIMUM TECHNICAL SPECIFICATION

GBV SUB CLUSTER TENT AND HIGH RISK PREGNANCY WOMEN TENT (SIZE 6X12 METER)

*same specification as below, difference only on logo printing and buckhead tent**

TENT

- Tent Material : Filament polyester 100%
- Outside : White Color
- Inside : Gray / dark Blue color
- Coating Technique : Triple Coating, Coating Layer Must Function as waterproof and anti-fungal.

Chemical Coating Materials

- Have Certificate : ISO 9001-2008/OEKO TEX Quality Management System
- Types of Polyester Yarn : 100% 450 D
- Yarn raw materials : New and not recycled (Grade A)
- Yarn Finishing : With Military Standards / SNI, using a twist system (twist), Light but strong.

TENT CEILING

- Ceiling Material : Satin Polyester, Full Tent Ceiling

Print logo above the front and rear entrances (estimation of size per logo 100 cm x 40 cm) *

- Logo KPPPA – UNFPA (2 tent of GBV sub cluster)
- Logo MoH – UNFPA (5 tent of High-risk pregnancy women)



FRAME of TENT

- Basic material : Black Iron pipe or similar and rust-resistant
- Resistance to blows and loads : Not easy to crack / break.
- Pipe Shape : Seamless pipe
- Construction
 - a. Main Mast : Pipe**
 - Diameter, mm : 45 (at least)
 - Thickness, mm : 1.2 (at least)
 - Long pipe (main mast) mm: 1800 (at least)
 - Amount, bars : 14
 - b. Pipe Foundation**
 - Diameter outer, mm : 45 (at least)
 - Thickness, mm : 1.2 (at least)
 - Pipe length, mm : 1800 (at least)
 - Amount, bars : 12
 - c. Pipe Main Mast Liaison**
 - Diameter outer, mm : 40 (at least)
 - Thickness, mm : 1.2 (at least)
 - Pipe length, mm : 1800 (at least)
 - Amount, btg : 12
 - d. Pipe Arch Roof Frame**
 - Diameter outer, mm : 40 (at least)
 - Thickness, mm : 1.2 (at least)
 - Pipe length, mm : 2800 (at least)
 - Amount, bars : 21
 - e. Pipe Roof Liaison**
 - Diameter outer, mm : 40 (at least)
 - Thickness, mm : 1.2 (at least)
 - Pipe length, mm : 1900 (at least)
 - Amount, bars : 42
 - f. Model L Connector (Sidestrip)**
 - Diameter outer, mm : 45 (at least)
 - Thickness, mm : 1.2 (at least)
 - Pipe length Whole, mm : 400 (at least)
 - Pipe length outer, mm : 100 X 2 (at least)
 - Pipe length in, mm : 100 X 2 (at least)
 - Amount, pretentious : 4
 - g. Model T Connectors**
 - Diameter outer, mm : 45 (at least)
 - Thickness, mm : 1.2 (at least)
 - Pipe length Whole, mm : 600 (at least)
 - Pipe length outer, mm : 100 X 3 (at least)
 - Pipe length in, mm : 100 X 3 (at least)
 - Amount, pretentious : 6
 - h. Model Y Connector Edge Roof Frame (Threepot)**
 - Diameter outer, mm : 40 (at least)
 - Thickness, mm : 1.2 (at least)
 - Pipe length Whole, mm : 900 (at least)
 - Pipe length outer, mm : 100 X 4 (at least)



- o Pipe length in, mm : 100 X 3 (at least)
- o Amount, pretentious : 4

i. Middle roof frame (Foot Four)

- o Diameter outer, mm : 40 (at least)
- o Thickness, mm : 1.2 (at least)
- o Pipe length Whole, mm : 900 (at least)
- o Pipe length outer, mm : 100 X 4 (at least)
- o Pipe length in, mm : 100 X 3 (at least)
- o Amount, pretentious : 10

IRON PEGS

- Model : fishing
- Basic ingredients : Iron Betoneser
- Basic form : Round
- Construction
 - a. Diameter, mm : 8 (at least)
 - b. Length, mm : 300 (at least)
 - c. Sections bend to the tip of the fishing line, mm: 50 (at least)
 - d. Parts that straight : 250

Model U

- Basic ingredients : Iron Betoneser
- Construction : Round
 - a. Diameter, mm : 12 (at least)
 - b. Length, mm : 500 (at least)
 - c. Sections bend to the tip of the fishing line, mm :10 (at least)
 - d. Parts that straight : 400 (at least)

LETTER D

- Basic ingredients : Iron
- Improvement : Pernekel
- Construction : Diameter outer, mm : 20

ZIPPER

- Basic Ingredients : Polyester 100%
- Length, mm : 220 x 4
- Width, mm : 30
- Number : 30

ZIPPER HEAD

- Basic Ingredients : Iron
- Color : Black
- Finishing Metal : Pernekel
- Number : 10

MAIN MAST REINFORCEMENT WEBBING TAPE

- Tape Construction reinforcement
 - a. Basic ingredients : 100% Polyester
 - b. Width, mm : min 40
 - c. Color : Black
 - d. Equipped with a tracker to adjust the tension of the webbing tape.



BULKHEAD TENT

1. BULKHEAD TENT (For RH and GBV Tent) *

- Material : PVC Asian Power 550gsm
- Size of Wall bulkhead : 300cm x 200cm (10 pc)
- Distance Bulkhead : Every 200cm, equipped with a steel sling rope (4-6mm) to hang the tent divider
- Equipped with a zipper to open and close the bulkhead door.

2. BULKHEAD TENT (For High-risk pregnancy women Tent) *

- Material : parachute polyester waterproof coating spray
- Size of Wall bulkhead : 250cm x 200cm
- Bulkhead door size : 200cm x 200cm
- Distance Bulkhead : Every 200cm,
- Equipped with a steel sling rope (4-6mm) to hang the wall bulkhead and door bulkhead.
- Equipped with a zipper to open and close the bulkhead door.

ROOFING POLE REINFORCEMENT WEBBING TAPE

- Ribbon Construction reinforcement
- Basic ingredients : Polyester 100%
- Width, mm : min 40
- Colour : Black

SEWING THREAD

- Sewing Thread No. 24
 - Basic ingredients: Nylon 100%
 - Thread number : 24
 - Colour : Black

SEWING TECHNIQUES

- Using anti-water seepage chemicals: Closing stitch marks with silicone liquid Compounds with fabrics
- Tailoring with Neat and Strong Techniques (SNI/Military Standard: Using a Special Sewing Machine for thick stitches.
- Density, Distance and Strength of Stitches: Code Item 11244-3021
- Stitches according to Military Standards : Chapter I. How To make NO.17 about C Workmanship about the provisions of the Seam:
 1. Suture density is 4 punctures or 3 curvatures per cm.
 2. The seam must be straight, the tension between the upper sewing thread and the lower sewing thread is balanced and there must be no jumping or stacking.

WELDING TECHNIQUES

- Quality Standards : Full circumference of pipe welding.
- Splicing Durability and Strength : Welding feed uses a special metal mixture so that it penetrates deep. and stronger and does not break easily or loose.

PAINTING TECHNIQUES

- Quality Standards : Anti-rust by washing using special chemicals.
- Paint Durability and Quality : Not easy to peel off because it uses Thinner A special.
- Painting Technology : Using Spray gun and Compressor to paint more attached to pipes.

PEDESTAL TENT


- Using materials : Plastic sheeting size 6 m x 12 m

PACKING

- consists of 2 (two) boxes / crates pecking packaging for tent leaves and tent frames
- made from wood that is strong and does not rot easily and there is distance for loading and unloading using a forklift.
- Minimum size 5 mm plywood for crate walls and 5x10cm beams for crate frame
- Each box is given a crate label containing information, institutional logo, PO number, Tent Name, year of production, list of contents of the crate box
- There is a Strap Adjuster for tightening.
- Consists of 4-7 parts for 1 tent set and indicated with color for connection and packaging set number.
- Length, cm : + 213
- Width, cm : + 50
- Height, cm : + 60

BOOK (MANUAL) AND INSTALLATION INSTRUCTION VIDEO:

- Instructions for installing and unloading tents and
- how to storage and maintenance instructions
- Video An example of tent installation is preferred.



LOT 2

MINIMUM TECHNICAL SPECIFICATION for MIDWIFERY TENT GUARDIAN 8P TENTS

GUARDIAN 8P TENTS or equivalent:

Guardian 8P is a camping tent that has two rooms with a partition that can accommodate 8 people.

- Fiberglass and steel frame poles
- Mesh roof panels
- Window with large zip opening for ventilation.
- Two entrances with mosquito nets (nets to keep mosquitoes out)
- Two bedrooms with a maximum capacity of up to 8 people
- Seam tape serves to cover the seams on the tent so that it can withstand the entry of water when it rains.
- Equipped with a practical bag to store this product when taken on the go
- Weight : 12.60
- Type : Camping Tent
- Activity : Mountaineering
- Gender : Male/Female
- Material : Fly: Polyester 2000mm, Inner: Polyester 2000mm, Floor: PE Sheet,
Pole: Fiberglass + Steel Pole
- Dimension: 270 x 390 x 200

Manual and video for installation:

- Manual to install and uninstall (video is preferred)
- Manual for storing and maintenance.





LOT 1

SPESIFIKASI TEKNIS MINIMUM TENDA SUB KLASTER KBG DAN TENDA IBU HAMIL BERISIKO TINGGI (UKURAN 6X12 METER)

*Spesifikasi yang sama seperti di bawah ini, perbedaan hanya pada logo dan sekat tenda**

TENDA

- Bahan tenda : Filament polyester 100%
- Bagian luar : Warna putih
- Bagian dalam : Warna abu-abu / biru tua
- Teknik Pelapisan : *Triple Coating, Coating Layer* Harus Berfungsi sebagai tahanan air dan anti jamur.

BAHAN PELAPIS KIMIA

- Memiliki Sertifikat : Sistem Manajemen Mutu ISO 9001-2008/OEKO TEX
- Jenis benang polyester : 100% 450 D
- Bahan baku benang : Baru dan tidak didaur ulang (Grade A)
- Finishing Benang : Dengan Standar Militer / SNI, menggunakan sistem twist (putaran), Ringan tapi kuat.

PLAFON TENDA

- Bahan Plafon : Satin polyester, Plafon tenda penuh

Cetak logo diatas pintu masuk depan dan belakang (estimasi ukuran per logo 100 cm x 40 cm)*

- Logo KPPPA – UNFPA (2 tenda KGB sub klaster)
- Logo Kemenkes – UNFPA (5 tenda Ibu Hamil Beresiko tinggi)

RANGKA TENDA

- Bahan dasar : Pipa Besi Hitam atau sejenisnya dan anti karat
- Ketahanan terhadap guncangan dan beban : Tidak mudah retak / pecah.
- Bentuk Pipa : Pipa tidak bertulang
- Kontruksi

a. Tiang utama : Pipa

- Diameter dalam, mm : 45 (min)
- Ketebalan, mm : 1.2 (min)
- Pipa panjang (tiang utama) mm : 1800 (min)
- Jumlah, bar 14

b. Pipa Landasan

- Diameter luar, mm : 45 (min)
- Ketebalan, mm : 1.2 (min)
- Panjang pipa, mm : 1800 (min)
- Jumlah, bar 12

c. Penghubung Tiang Utama Pipa

- Diameter luar, mm : 40 (min)
- Ketebalan, mm : 1.2 (min)
- Panjang pipa, mm : 1800 (min)
- Jumlah, btg 12



d. Rangka Atap Lengkung Pipa

- Diameter luar, mm : 40 (min)
- Ketebalan, mm : 1.2 (min)
- Panjang pipa, mm : 2800 (min)
- Jumlah, bar: 21

e. Penghubung Atap Pipa

- Diameter luar, mm : 40 (min)
- Ketebalan, mm : 1.2 (min)
- Panjang pipa, mm : 1900 (min)
- Jumlah, bar 42

f. Konektor Model L (Sidestrip)

- Diameter luar, mm : 45 (min)
- Ketebalan, mm : 1.2 (min)
- Panjang pipa Utuh, mm : 400 (min)
- Panjang pipa luar, mm : 100 X 2 (min)
- Panjang pipa dalam, mm: 100 X 2 (min)
- Jumlah, sok 4

g. Konektor Model T

- Diameter luar, mm : 45 (min)
- Ketebalan, mm : 1.2 (min)
- Panjang pipa Utuh, mm : 600 (min)
- Panjang pipa luar, mm : 100 X 3 (min)
- Panjang pipa masuk, mm: 100 X 3 (min)
- Jumlah, sok 6

h. Rangka Atap Ujung Konektor Model Y (Threepot)

- Diameter luar, mm : 40 (min)
- Ketebalan, mm : 1.2 (min)
- Panjang pipa Utuh, mm : 900 (min)
- Panjang pipa luar, mm : 100 X 4 (min)
- Panjang pipa masuk, mm: 100 X 3 (min)
- Jumlah, sok 4

i. Rangka atap tengah (Kaki Empat)

- Diameter luar, mm : 40 (min)
- Ketebalan, mm : 1.2 (min)
- Panjang pipa Utuh, mm : 900 (min)
- Panjang pipa luar, mm : 100 X 4 (min)
- Panjang pipa masuk, mm: 100 X 3 (min)
- Jumlah, sok 10

PASAK/PATOK BESI

- Model Pancing
- Bahan dasar : Besi Betoneser
- Bentuk dasar : Bulat
- Konstruksi
 - a. Diameter, mm : 8 (min)
 - b. Panjang, mm : 300 (min)
 - c. Bagian menekuk ke ujung pancing, mm : 50 (min)
 - d. Bagian yang lurus : 250 (min)



Model U

- Bahan dasar : Besi Betoneser
- Konstruksi : Round
 - a. Diameter, mm : 12 (min)
 - b. Panjang, mm : 500 (min)
 - c. Bagian-bagiannya ditekuk ke arah ujung pancing, mm :10 (min)
 - d. Bagian yang lurus : 400 (min)

LETTER D

- Bahan Dasar : Besi
- Penyempurnaan : Pernekel
- Konstruksi : Diameter outer, mm : 20

RETSLETING

- Bahan Dasar : Polyester 100%
- Panjang, mm : 220 x 4 (min)
- Lebar, mm : 30 (min)
- Nomor : 30

KEPALA RESLETING

- Bahan Dasar : Besi
- Warna : Hitam
- Finishing logam : Pernekel
- Nomor : 10

PITA WEBBING PENGUATAN TIANG UTAMA

- Pita penguat konstruksi
 - a. Bahan dasar : 100% Polyester
 - b. Lebar, mm : 40 (min)
 - c. Warna : Hitam
 - d. Dilengkapi dengan *tracker* untuk mengatur ketegangan pita anyaman (*webbing tape*).

SEKAT TENDA*

1. SEKAT TENDA Untuk Tenda sub klaster RH dan KGB*

- Bahan : PVC Asian Power 550gsm
- Ukuran Sekat dinding : 300cm x 200cm (10 lembar)
- Jarak antar Sekat : Setiap 200cm,
- Dilengkapi dengan kawat baja (ukuran 4-6mm) untuk menggantungkan sekat tenda

2. SEKAT TENDA UNTUK TENDA IBU HAMIL BERESIKO TINGGI*

- Bahan : poliester parasut, semprotan pelapis tahan air
- Ukuran Sekat dinding : 250cm x 200cm
- Ukuran Sekat pintu : 200cm x 200cm
- Jarak antar sekat : setiap 200cm,
- Dilengkapi tali sling baja (ukuran 4-6mm) untuk menggantung sekat dinding dan sekat pintu.
- Dilengkapi resleting untuk membuka dan menutup pintu sekat.



PITA WEBBING PENGUAT TIANG ATAP

- Pita penguat konstruksi
- Bahan : Polyester 100%
- Lebar, mm : 40 (min)
- Warna : Hitam

BENANG JAHIT

- Sewing Thread No. 24
- Bahan dasar : Nylon 100%
- Nomor benang : 24
- Warna : Hitam

TEHNIS JAHIT

- Memakai Chemical anti rembesan air: Menutup bekas jahitan dengan cairan silikon yang menyawa dengan kain
- Penjahitan dengan Teknik rapi dan kuat (Standard SNI/Militer) : Menggunakan Mesin Jahit Khusus untuk jahitan tebal
- Kerapatan, Jarak dan Kekuatan Jahitan : Kode Barang 11244-3021
- Jahitan sesuai Standar Militer : Bab I Cara pembuatan NO.17 tentang Pengerjaan Huruf C tentang ketentuan Jahitan:
 - 1 Kerapatan Jahitan adalah 4 tusukan atau 3 lengkungan tiap cm.
 - 2 Jahitan harus lurus, tegangan antara benang jahit atas dan benang jahit bawah seimbang dan tidak boleh terdapat loncatan maupun penumpukan.

TEHNIS PENGELASAN

- Standar Kualitas : Pengelasan pipa secara keliling penuh.
- Ketahanan dan Kekuatan Penyambungan : Pakan Las memakai campuran logam khusus sehingga meresap kedalam dan lebih kuat, serta tidak mudah patah atau lepas.

TEHNIS PENGECATAN

- Standar Kualitas : Anti karat dengan pencucian memakai chemical khusus.
- Ketahanan dan Kualitas Cat : Tidak mudah mengelupas karena menggunakan Thinner A Special.
- Teknologi Pengecatan : Menggunakan *Spray gun* dan Kompresor sehingga cat lebih melekat ke pipa.

ALAS TENDA


- Material : Terpal plastik size 6 m x 12 m

PENGEMASAN

- terdiri dari ada 2 (dua) bh Kotak/peti packing kemasan untuk tenda dan rangka tenda.
- berbahan kayu yang kuat dan tidak mudah lapuk dan ada jarak untuk bongkar muat menggunakan forklift.
- Triplek min ukuran 5 mm untuk dinding peti dan balok ukuran 5x10cm untuk rangka peti
- Masing-masing box diberikan label peti yang berisikan informasi, logo lembaga, no PO, Nama Tenda, tahun produksi, daftar isi kotak peti
- Terdapat Strap Adjuster untuk pengencangan
- Terdiri dari 4-7 bagian untuk 1 set tenda dan terindikasi dengan warna untuk sambungan dan nomor set kemasan
- Panjang, cm : + 213
- Lebar, cm : + 50
- Tinggi, cm : + 60

BUKU (MANUAL) DAN VIDEO PETUNJUK PEMASANGAN:

- Petunjuk bongkar pasang tenda dan cara
- Bagaimana cara untuk penyimpanan dan instruksi perawatan
- Video contoh pemasangan tenda (lebih disukai)



LOT 2

SPESIFIKASI TEKNIS MINIMAL TENDA KEBIDANAN TENDA WALI 8P

TENDA GUARDIAN 8P atau yang setara:

Guardian 8P merupakan tenda camping yang memiliki dua ruangan dengan sekat yang mampu menampung 8 orang.

- Tiang rangka fiberglass dan baja
- Panel atap jaring
- Jendela dengan bukaan resleting besar untuk ventilasi.
- Dua pintu masuk dengan kelambu (kelambu untuk mengusir nyamuk)
- Dua kamar tidur dengan kapasitas maksimal hingga 8 orang
- Seam tape berfungsi untuk menutup jahitan pada tenda sehingga mampu menahan masuknya air saat hujan.
- Dilengkapi dengan tas praktis untuk menyimpan produk ini saat dibawa bepergian
- Berat: 12,60
- Tipe : Tenda Kemah
- Aktivitas : Mendaki Gunung
- Jenis Kelamin: Pria/Wanita
- Bahan: Fly : Polyester 2000mm, Inner : Polyester 2000mm, Floor : PE Sheet, Pole : Fiberglass + Steel Pole
- Dimension: 270 x 390 x 200

Manual dan video untuk instalasi:

- Panduan untuk menginstal dan menghapus instalasi (video lebih disukai)
- Manual untuk penyimpanan dan pemeliharaan.

